



RhinoBond Insulation Attachment Patterns

Fastening Patterns: 4'x8' Insulation Boards




6 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-90 (FIELD)




10 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-90 (PERIMETER) ENHANCEMENT PATTERN




15 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-90 (CORNER) ENHANCEMENT PATTERN




8 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-105 (FIELD) GRADE 'C' STEEL DECKS
FM 1-120 (FIELD) GRADE 'E' STEEL DECKS



14 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-105 (PERIMETER) ENHANCEMENT GRADE 'C' STEEL DECKS
FM 1-120 (PERIMETER) ENHANCEMENT GRADE 'E' STEEL DECKS



20 FASTENERS PER 4'-0" X 8'-0" BOARD

FM 1-105 (CORNER) ENHANCEMENT GRADE 'C' STEEL DECKS
FM 1-120 (CORNER) ENHANCEMENT GRADE 'E' STEEL DECK